

References

- Ahlsweide, R. and Daykin, D. E. (1978). An inequality for the weights of two families of sets, their unions and intersections, *Z. Wahrscheinl. V. Geb* **43**: 183–185.
- Aho, A. V., Hopcroft, J. E. and Ullman, J. D. (1974). *The Design and Analysis of Computer Algorithms*, Addison Wesley, Reading, MA.
- Aizenman, M. and Barsky, D. J. (1987). Sharpness of the phase transition in percolation models, *Commun. Math. Phys.* **108**(3): 489–526.
- Aizenman, M. and Newman, C. M. (1984). Tree graph inequalities and critical behavior in percolation models, *J. Stat. Phys.* **36**(1–2): 107–143.
- Aizenman, M., Kesten, H. and Newman, C. M. (1987). Uniqueness of the infinite cluster and continuity of connectivity functions for short and long range percolation, *Commun. Math. Phys.* **111**(4): 505–531.
- Ajtai, M. (1983). Σ_1^1 -formulae on finite structures, *Ann. Pure Appl. Logic* **24**: 1–48.
- Ajtai, M., Chvátal, V., Newborn, M. M. and Szemerédi, E. (1982). Crossing-free subgraphs, *Theory and Practice of Combinatorics, North Holland Math. Stud.* **60**: 9–12.
- Ajtai, M., Komlós, J. and Szemerédi, E. (1980). A note on Ramsey numbers, *J. Combin. Theory, Ser. A* **29**: 354–360.
- Ajtai, M., Komlós, J. and Szemerédi, E. (1983). Sorting in $c \log n$ parallel steps, *Combinatorica* **3**: 1–19.

- Ajtai, M., Komlós, J. and Szemerédi, E. (1987). Deterministic simulation in LOGSPACE, *Proceedings of the 19th Annual ACM Symposium on Theory of Computing (STOC)*, ACM Press, New York, pp. 132–140.
- Akiyama, J., Exoo, G. and Harary, F. (1981). Covering and packing in graphs IV; Linear arboricity, *Networks* **11**: 69–72.
- Alon, N. (1986a). Eigenvalues and expanders, *Combinatorica* **6**: 83–96.
- Alon, N. (1986b). Eigenvalues, geometric expanders, sorting in rounds and Ramsey theory, *Combinatorica* **6**: 207–219.
- Alon, N. (1988). The linear arboricity of graphs, *Israel J. Math* **62**: 311–325.
- Alon, N. (1990a). The maximum number of Hamiltonian paths in tournaments, *Combinatorica* **10**: 319–324.
- Alon, N. (1990b). Transversal numbers of uniform hypergraphs, *Graphs and Combinatorics* **6**: 1–4.
- Alon, N. (1994). Explicit Ramsey graphs and orthonormal labelings, *The Electronic J. Combinatorics* **1**: 8 pp. R12.
- Alon, N. (1996). Independence numbers of locally sparse graphs and a Ramsey type problem, *Random Structures Algorithms* **9**: 271–278.
- Alon, N. and Boppana, R. B. (1987). The monotone circuit complexity of boolean functions, *Combinatorica* **7**: 1–22.
- Alon, N. and Chung, F. R. K. (1988). Explicit construction of linear sized tolerant networks, *Discrete Math.* **72**: 15–19.
- Alon, N. and Frankl, P. (1985). The maximum number of disjoint pairs in a family of subsets, *Graphs and Combinatorics* **1**: 13–21.
- Alon, N. and Kleitman, D. J. (1990). Sum-free subsets, in: *A Tribute to Paul Erdős* (A. Baker, B. Bollobás and A. Hajnal, eds.), Cambridge University Press, Cambridge, England, pp. 13–26.
- Alon, N. and Krivelevich, M. (1997). The concentration of the chromatic number of random graphs, *Combinatorica* **17**: 303–313.
- Alon, N. and Krivelevich, M. (2002). Testing k -colorability, *SIAM J. Discrete Math.* **15**(2): 211–227 (electronic).
- Alon, N. and Limal, N. (1989). Cycles of length 0 modulo k in directed graphs, *J. Combin. Theory, Ser. B* **47**: 114–119.
- Alon, N. and Milman, V. D. (1984). Eigenvalues, expanders and superconcentrators, *Proceedings of the 25th Annual Symposium on Foundations of Computer Science* (FOCS), IEEE, New York, pp. 320–322. See also: N. Alon and V. D. Milman, λ isoperimetric inequalities for graphs and superconcentrators, *J. Combin. Theory, Ser. B*, **38**: 73–88, 1985.
- Alon, N. and Shapira, A. (2005). A characterization of the (natural) graph properties testable with one-sided error, *Proceedings of the 46th Annual Symposium on Foundations of Computer Science (FOCS)*, IEEE, pp. 429–438.
- Alon, N. and Shapira, A. (2006). Homomorphisms in graph property testing, *Topics in Discrete Mathematics*, Vol. 26 of *Algorithms Combin.*, Springer, Berlin, pp. 281–313.
- Alon, N., Babai, L. and Itai, A. (1986). A fast and simple randomized parallel algorithm for the maximal independent set problem, *J. Algorithms* **7**: 567–583.
- Alon, N., Duke, R. A., Lefmann, H., Rödl, V. and Yuster, R. (1994). The algorithmic aspects of the regularity lemma, *J. Algorithms* **16**(1): 80–109.
- Alon, N., Fischer, E., Krivelevich, M. and Szegedy, M. (2000). Efficient testing of large graphs, *Combinatorica* **20**(4): 451–476.
- Alon, N., Fischer, E., Newman, I. and Shapira, A. (2006). A combinatorial characterization of the testable graph properties: it's all about regularity, *Proceedings of the 38th Annual ACM Symposium on Theory of Computing (STOC)*, ACM, New York, pp. 251–260.
- Alon, N., Frankl, P. and Rödl, V. (1985). Geometrical realization of set systems and probabilistic communication complexity, *Proceedings of the 26th Annual Symposium on Foundations of Computer Science (FOCS)*, IEEE, New York, pp. 277–280.
- Alon, N., Goldreich, O., Håstad, J. and Peralta, R. (1990). Simple constructions of almost k -wise independent random variables, *Proceedings of the 31st Annual Symposium on Foundations of Computer Science (FOCS)*, IEEE, New York, pp. 544–553.
- Alon, N., Kim, J. H. and Spencer, J. H. (1997). Nearly perfect matchings in regular simple hypergraphs, *Israel J. Math* **100**: 171–187.
- Alon, N., Krivelevich, M. and Sudakov, B. (2003). Turán numbers of bipartite graphs and related Ramsey-type questions, *Combin. Probab. Comput.* **12**(5-6): 477–494. Special issue on Ramsey theory.
- Alon, N., Rónyai, L. and Szabó, T. (1999). Norm-graphs: variations and applications, *J. Combin. Theory, Ser. B* **76**: 280–290.
- Andreev, A. E. (1985). On a method for obtaining lower bounds for the complexity of individual monotone functions, *Dokl. Akad. Nauk SSSR* **282**(5): 1033–1037. (In Russian). English translation in *Sov. Math. Dokl.*, **31**(3): 530–534.

- Andreev, A. E. (1987). On a method for obtaining more than quadratic effective lower bounds for the complexity of π -schemes, *Vestnik Moskov. Univ. Ser. I Mat. Mekh* **42**(1): 63–66. (In Russian).
- Baik, J., Deift, P. and Johansson, K. (1999). On the distribution of the length of the longest increasing subsequence of random permutations, *J. Am. Math. Soc.* **12**: 1119–1178.
- Bátány, I. and Füredi, Z. (1987). Empty simplices in Euclidean spaces, *Can. Math. Bull.* **30**: 436–445.
- Beck, J. (1978). On 3-chromatic hypergraphs, *Discrete Math.* **24**: 127–137.
- Beck, J. (1981). Roth's estimate of the discrepancy of integer sequences is nearly optimal, *Combinatorica* **1**: 319–325.
- Beck, J. (1991). An algorithmic approach to the Lovász local lemma. I., *Random Structures Algorithms* **2**(4): 343–365.
- Beck, J. and Fiala, T. (1981). Integer-making theorems, *Discrete Appl. Math.* **3**: 1–8.
- Behrend, F. A. (1946). On sets of integers which contain no three terms in arithmetical progression, *Proc. Natl. Acad. Sci. U.S.A.* **32**: 331–332.
- Bernstein, S. N. (1912). Démonstration du théorème de Weierstrass fondée sur le calcul des probabilités, *Commun. Soc. Math. Kharkov* **13**: 1–2.
- Billingsley, P. (1995). *Probability and Measure*, 3rd ed., Wiley Series in Probability and Mathematical Statistics, Wiley, Hoboken, NJ.
- Blum, N. (1984). A boolean function requiring $3n$ network size, *Theor. Comput. Sci.* **28**: 337–345.
- Bollobás, B. (1965). On generalized graphs, *Acta Math. Acad. Sci. Hung.* **16**: 447–452.
- Bollobás, B. (1984). The evolution of random graphs, *Trans. Am. Math. Soc.* **286**(1): 257–274.
- Bollobás, B. (1988). The chromatic number of random graphs, *Combinatorica* **8**: 49–55.
- Bollobás, B. (2001). *Random Graphs*, 2nd ed., Vol. 73 of *Cambridge Studies in Advanced Mathematics*, Cambridge University Press, Cambridge.
- Bollobás, B. and Erdős, P. (1976). Cliques in random graphs, *Math. Proc. Cambridge Philos. Soc.* **80**: 419–427.
- Boppa, R. B. and Spencer, J. H. (1989). A useful elementary correlation inequality, *J. Combin. Theory, Ser. A* **50**: 305–307.
- Borgs, C., Chayes, J. T., van der Hofstad, R., Slade, G. and Spencer, J. H. (2005). Random subgraphs of finite graphs. I. The scaling window under the triangle condition, *Random Structures Algorithms* **27**(2): 137–184.
- Brégnan, L. M. (1973). Some properties of nonnegative matrices and their permanents, *Sov. Math. Dokl.* **14**: 945–949.
- Burton, R. M. and Keane, M. (1989). Density and uniqueness in percolation, *Commun. Math. Phys.* **121**(3): 501–505.
- Chazelle, B. and Welzl, E. (1989). Quasi-optimal range searching in spaces of finite VC-dimension, *Discrete and Computational Geometry* **4**: 467–489.
- Chernoff, H. (1952). A measure of the asymptotic efficiency for tests of a hypothesis based on the sum of observations, *Ann. Math. Stat.* **23**: 493–509.
- Chung, F. R. K., Frankl, P., Graham, R. L. and Shearer, J. B. (1986). Some intersection theorems for ordered sets and graphs, *J. Combin. Theory, Ser. A* **43**: 23–37.
- Chung, F. R. K., Graham, R. L. and Wilson, R. M. (1989). Quasi-random graphs, *Combinatorica* **9**: 345–362.
- Cicalese, F. and Mundici, D. (2000). Optimal coding with one asymmetric error: below the sphere packing bound, *Computing and Combinatorics (Sydney, 2000)*, Vol. 1858 of *Lecture Notes in Computer Science*, Springer, Berlin, pp. 159–169.
- Cohen, A. and Wigderson, A. (1989). Dispersers, deterministic amplification, and weak random sources, *Proceedings of the 30th Annual Symposium on Foundations of Computer Science (FOCS)*, IEEE, New York, pp. 14–19.
- Danzer, L. and Grünbaum, B. (1962). Über zwei probleme bezüglich konvexer Körper von P. Erdős und von V. L. Klee, *Math. Z.* **79**: 95–99.
- de la Vega, W. F. (1983). On the maximal cardinality of a consistent set of arcs in a random tournament, *J. Combin. Theory, Ser. B* **35**: 328–332.
- Dudley, R. M. (1978). Central limit theorems for empirical measures, *Ann. Probab.* **6**: 899–929.
- Dumitriu, I. and Spencer, J. H. (2004). A halfliar's game, *Theor. Comput. Sci.* **313**(3): 353–369. Algorithmic combinatorial game theory.
- Elekes, G. (1997). On the number of sums and products, *Acta Arith.* **81**: 365–367.
- Ellis, R. S. (1984). Large deviations for a general class of random vectors, *Ann. Probab.* **12**(1): 1–12.
- Erdős, P. (1947). Some remarks on the theory of graphs, *Bull. Am. Math. Soc.* **53**: 292–294.

- Erdős, P. (1956). Problems and results in additive number theory, *Colloque sur le Théorie des Nombres (CBRM, Bruxelles)*, pp. 127–137.
- Erdős, P. (1959). Graph theory and probability, *Can. J. Math.* **11**: 34–38.
- Erdős, P. (1962). On circuits and subgraphs of chromatic graphs, *Mathematika* **9**: 170–175.
- Erdős, P. (1963a). On a combinatorial problem, *Nordisk Mat. Tidsskr.* **11**: 5–10.
- Erdős, P. (1963b). On a problem of graph theory, *Math. Gaz.* **47**: 220–223.
- Erdős, P. (1964). On a combinatorial problem II, *Acta Math. Acad. Sci. Hung.* **15**: 445–447.
- Erdős, P. (1965a). Extremal problems in number theory, *Proc. Symp. Pure Math. (AMS) VIII*: 181–189.
- Erdős, P. (1965b). On extremal problems of graphs and generalized graphs, *Israel J. Math.* **2**: 189–190.
- Erdős, P. and Füredi, Z. (1983). The greatest angle among n points in the d -dimensional Euclidean space, *Ann. Discrete Math.* **17**: 275–283.
- Erdős, P. and Hanani, H. (1963). On a limit theorem in combinatorial analysis, *Publ. Math. Debrecen* **10**: 10–13.
- Erdős, P. and Kac, M. (1940). The Gaussian law of errors in the theory of additive number theoretic functions, *Am. J. Math.* **62**: 738–742.
- Erdős, P. and Lovász, L. (1975). Problems and results on 3-chromatic hypergraphs and some related questions, in: *Infinite and Finite Sets* (A. Hajnal, R. Rado and V. T. Sós, eds.), North-Holland, Amsterdam, pp. 609–628.
- Erdős, P. and Moon, J. W. (1965). On sets of consistent arcs in a tournament, *Can. Math. Bull.* **8**: 269–271.
- Erdős, P. and Rényi, A. (1960). On the evolution of random graphs, *Magyar Tud. Akad. Mat. Kutató Int. Közl.* **5**: 17–61.
- Erdős, P. and Selfridge, J. L. (1973). On a combinatorial game, *J. Combin. Theory, Ser. A* **14**: 298–301.
- Erdős, P. and Spencer, J. H. (1991). Lopsided Lovász local lemma and latin transversals, *Discrete Appl. Math.* **30**: 151–154.
- Erdős, P. and Tetali, P. (1990). Representations of integers as the sum of k terms, *Random Structures Algorithms* **1**(3): 245–261.
- Fagin, R. (1976). Probabilities in finite models, *J. Symbolic Logic* **41**: 50–58.
- Fischer, E. (2001). The art of uninformed decisions: A primer to property testing, *Bull. Eur. Assoc. Theor. Comput. Sci. EATCS* **75**: 97–126.
- Fishburn, P. (1992). Correlation in partially ordered sets, *Discrete Appl. Math.* **39**: 173–191.
- Fortuin, C. M., Kasteleyn, P. W. and Ginibre, J. (1971). Correlation inequalities on some partially ordered sets, *Commun. Math. Phys.* **22**: 89–103.
- Füredi, Z. (1988). Matchings and covers in hypergraphs, *Graphs Combin.* **4**: 115–206.
- Frankl, P. and Wilson, R. M. (1981). Intersection theorems with geometric consequences, *Combinatorica* **1**: 357–368.
- Frankl, P., Rödl, V. and Wilson, R. M. (1988). The number of submatrices of given type in a Hadamard matrix and related results, *J. Combin. Theory, Ser. B* **44**: 317–328.
- Furst, M., Saxe, J. and Sipser, M. (1984). Parity, circuits and the polynomial hierarchy, *Math. Sys. Theory* **17**: 13–27.
- Glebskii, Y. V., Kogan, D. I., Liagonkii, M. I. and Talanov, V. A. (1969). Range and degree of realizability of formulas the restricted predicate calculus, *Cybernetics* **5**: 142–154. (Russian original: *Kibernetika* **5**: 17–27).
- Goldreich, O. (1999). Combinatorial property testing (a survey), *Randomization Methods in Algorithm Design (Princeton, NJ, 1997)*, Vol. 43 of DIMACS Series in Discrete Mathematics and Theoretical Computer Science, American Mathematics Society, Providence, RI, pp. 45–59.
- Goldreich, O. and Ron, D. (2002). Property testing in bounded degree graphs, *Algorithmica* **32**(2): 302–343.
- Goldreich, O., Goldwasser, S. and Ron, D. (1998). Property testing and its connection to learning and approximation, *J. ACM* **45**(4): 653–750.
- Gowers, W. T. (1997). Lower bounds of tower type for Szemerédi's uniformity lemma, *Geom. Funct. Anal.* **7**(2): 322–337.
- Gowers, W. T. (1998). A new proof of Szemerédi's theorem for arithmetic progressions of length four, *Geom. Funct. Anal.* **8**(3): 529–551.
- Graham, R. L. and Spencer, J. H. (1971). A constructive solution to a tournament problem, *Can. Math. Bull.* **14**: 45–48.
- Graham, R. L., Rothschild, B. L. and Spencer, J. H. (1990). *Ramsey Theory*, 2nd ed., Wiley, Hoboken, NJ.
- Grimmett, G. (1999). *Percolation*, 2nd ed., Vol. 321 of *Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences]*, Springer-Verlag, Berlin.

- Halberstam, H. and Roth, K. F. (1983). *Sequences*, 2nd ed., Springer Verlag, Berlin.
- Hall, M. (1986). *Combinatorial Theory*, 2nd ed., Wiley, Hoboken, NJ.
- Hara, T. and Slade, G. (1990). Mean-field critical behaviour for percolation in high dimensions, *Commun. Math. Phys.* **128**(2): 333–391.
- Hara, T. and Slade, G. (1994). Mean-field behaviour and the lace expansion, *Probability and phase transition* (Cambridge, 1993), Vol. 420 of *NATO Advanced Study Institute Series C: Mathematical and Physical Science*, Kluwer Academic, Dordrecht, pp. 87–122.
- Harper, L. (1966). Optimal numberings and isoperimetric problems on graphs, *J. Combin. Theory* **1**: 385–393.
- Harris, T. E. (1960). Lower bound for the critical probability in a certain percolation process, *Math. Proc. Cambridge Philos. Soc.* **56**: 13–20.
- Hausler, D. (1995). Sphere packing numbers for subsets of the boolean n -cube with bounded Vapnik–Chervonenkis dimension, *J. Combin. Theory, Ser. A* **69**: 217–232.
- Hausser, D. and Welzl, E. (1987). ϵ -nets and simplex range queries, *Discrete and Computational Geometry* **2**: 127–151.
- Håstad, J. (1988). Almost optimal lower bounds for small depth circuits, in: *Randomness and Computation* (S. Micali, ed.), Vol. 5 of *Advances in Computer Research*, JAI Press, Greenwich, CT, pp. 143–170.
- Håstad, J. (1998). The shrinkage exponent of De Morgan formulas is 2, *SIAM J. Comput.* **27**: 48–64.
- Janson, S. (1990). Poisson approximation for large deviations, *Random Structures Algorithms* **1**: 221–230.
- Janson, S. (1998). New versions of Suen's correlation inequality, *Random Structures Algorithms* **13**: 467–483.
- Janson, S., Knuth, D., Łuczak, T. and Pittel, B. (1993). The birth of the giant component, *Random Structures Algorithms* **4**: 233–358.
- Janson, S., Łuczak, T. and Ruciński, A. (1990). An exponential bound for the probability of nonexistence of a specified subgraph in a random graph, *Random Graphs '87* (Poznań, 1987), Wiley, Chichester, pp. 73–87.
- Janson, S., Łuczak, T. and Ruciński, A. (2000). *Random Graphs*, Wiley, Hoboken, NJ.
- Joffe, A. (1974). On a set of almost deterministic k -independent random variables, *Ann. Probab.* **2**: 161–162.
- Kahn, J. (1996). Asymptotically good list colorings, *J. Combin. Theory, Ser. A* **73**: 1–59.
- Karchmer, M. and Wigderson, A. (1990). Monotone circuits for connectivity require super-logarithmic depth, *SIAM J. Discrete Math.* **3**: 255–265.
- Karp, R. M. and Ramachandran, V. (1990). Parallel algorithms for shared memory machines, in: *Handbook of Theoretical Computer Science* (J. Van Leeuwen, ed.), Vol. A, Chapter 17, Elsevier, New York, pp. 871–941.
- Katchalski, M. and Meir, A. (1988). On empty triangles determined by points in the plane, *Acta Math. Hung.* **51**: 323–328.
- Katona, G. O. H. (1972). A simple proof of the Erdős–Ko–Rado theorem, *J. Combin. Theory, Ser. B* **13**: 183–184.
- Khrapchenko, V. M. (1971). A method of determining lower bounds for the complexity of II-schemes, *Mat. Zametki* **10**(1): 83–92. (In Russian). English translation in *Math. Notes Acad. Sci. USSR*, **11**: 474–479, 1972.
- Kim, J. H. (1995). The Ramsey number $R(3, t)$ has order of magnitude $t^2 / \log t$, *Random Structures Algorithms* **7**: 173–207.
- Kim, J. H. and Vu, V. (2000). Concentration of multivariate polynomials and its applications, *Combinatorica* **20**(3): 417–434.
- Kleitman, D. J. (1966a). Families of non-disjoint subsets, *J. Combin. Theory* **1**: 153–155.
- Kleitman, D. J. (1966b). On a combinatorial conjecture of Erdős, *J. Combin. Theory* **1**: 209–214.
- Kleitman, D. J., Shearer, J. B. and Sturtevant, D. (1981). Intersection of k -element sets, *Combinatorica* **1**: 381–384.
- Kolountzakis, M. N. (1999). An effective additive basis for the integers, *Discrete Math.* **145**: 307–313.
- Komlós, J. and Simonovits, M. (1996). Szemerédi's regularity lemma and its applications in graph theory, *Combinatorics, Paul Erdős Is Eighty* (Keszthely, 1993), Vol. 2 of *Bolyai Soc. Math. Stud.*, János Bolyai Math. Soc., Budapest, pp. 295–352.
- Komlós, J., Pach, J. and Woeginger, G. (1992). Almost tight bounds on ϵ -nets, *Discrete and Computational Geometry* **7**: 163–173.
- Komlós, J., Pintz, J. and Szemerédi, E. (1982). A lower bound for Heilbronn's problem, *J. London Math. Soc.* **25**(2): 13–24.
- Kostoehka, A. V. and Rödl, V. (2004). On graphs with small Ramsey numbers. II, *Combinatorica* **24**(3): 389–401.

- Loomis, L. H. and Whitney, H. (1949). An inequality related to the isoperimetric inequality, *Bull. Am. Math. Soc.* **55**: 961–962.
- Lovász, L. and Szegedy, B. (to appear). Testing properties of graphs and functions, Preprint.
- Lovász, L., Spencer, J. H. and Vesztergombi, K. (1986). Discrepancy of set systems and matrices, *Eur. J. Comb.* **7**: 151–160.
- Lubotzky, A., Phillips, R. and Sarnak, P. (1986). Explicit expanders and the Ramanujan conjectures, *Proceedings of the 18th Annual ACM Symposium on Theory of Computing (STOC)*, ACM Press, pp. 240–246. See also: A. Lubotzky, R. Phillips and P. Sarnak, Ramanujan graphs, *Combinatorica* **8**: 261–277, 1988.
- Łuczak, T. (1990a). Component behavior near the critical point of the random graph process, *Random Structures Algorithms* **1**(3): 287–310.
- Łuczak, T. (1990b). Component behavior near the critical point of the random graph process, *Random Structures Algorithms* **1**: 287–310.
- Łuczak, T. (1991). A note on the sharp concentration of the chromatic number of random graphs, *Combinatorica* **11**: 295–297.
- MacWilliams, F. J. and Sloane, N. J. A. (1977). *The Theory of Error Correcting Codes*, North Holland, Amsterdam.
- Mani-Levitska, P. and Pach, J. (1988). Decomposition problems for multiple coverings with unit balls, manuscript.
- Margulis, G. A. (1973). Explicit constructions of concentrators, *Problemy Peredachi Informatsii* **9**: 71–80. (In Russian). English translation in *Problems of Information Transmission* **9**: 325–332.
- Margulis, G. A. (1988). Explicit group-theoretical constructions of combinatorial schemes and their application to the design of expanders and superconcentrators, *Problemy Peredachi Informatsii* **24**: 51–60. (In Russian). English translation in *Problems of Information Transmission* **24**: 39–46, 1988.
- Marica, J. and Schonheim, J. (1969). Differences of sets and a problem of Graham, *Can. Math. Bull.* **12**: 635–637.
- Matoušek, J. (1997). On discrepancy bounds via dual shatter function, *Mathematika* **44**(1): 42–49.
- Matoušek, J., Welzl, E. and Wernisch, L. (1993). Discrepancy and approximation for bounded VC dimension, *Combinatorica* **13**: 455–466.
- Matula, D. W. (1976). The largest clique size in a random graph, Technical report, Southern Methodist University, Dallas, TX.
- Maurey, B. (1979). Construction de suites symétriques, *C. R. Acad. Sci. Paris* **288**: 679–681.
- Men'shikov, M. V. (1986). Coincidence of critical points in percolation problems, *Dokl. Akad. Nauk SSSR* **288**(6): 1308–1311.
- Milman, V. D. and Schechtman, G. (1986). *Asymptotic Theory of Finite Dimensional Normed Spaces*, Vol. 1200 of *Lecture Notes in Mathematics*, Springer Verlag, New York.
- Molloy, M. and Reed, B. (1999). Graph colouring via the probabilistic method, *Graph Theory and Combinatorial Biology (Balatonlelle, 1996)*, Vol. 7 of *Bolyai Soc. Math. Stud.*, János Bolyai Math. Soc., Budapest, pp. 125–155.
- Moon, J. W. (1968). *Topics on Tournaments*, Holt, Reinhart and Winston, New York.
- Nakayama, A. and Peroche, B. (1987). Linear arboricity of digraphs, *Networks* **17**: 39–53.
- Naor, J. and Naor, M. (1990). Small-bias probability spaces: efficient constructions and applications, *Proceedings of the 22nd Annual ACM Symposium on Theory of Computing (STOC)*, ACM Press, New York, pp. 213–223.
- Nilli, A. (1991). On the second eigenvalue of a graph, *Discrete Math.* **91**: 207–210.
- Pach, J. and Agarwal, P. K. (1995). *Combinatorial Geometry*, Wiley, Hoboken, NJ.
- Pach, J. and Woeginger, G. (1990). Some new bounds for ϵ -nets, *Proceedings of the 6th Annual Symposium on Computational Geometry*, ACM Press, New York, pp. 10–15.
- Paturi, R. and Simon, J. (1984). Probabilistic communication complexity, *Proceedings of the 25th Annual Symposium on Foundations of Computer Science (FOCS)*, IEEE, New York, pp. 118–126.
- Paul, W. J. (1977). A $2.5n$ lower bound on the combinatorial complexity of boolean functions, *SIAM J. Computing* **6**: 427–443.
- Pinsker, M. (1973). On the complexity of a concentrator, *Proceedings of the 7th International Teletraffic Conference*, Stockholm, pp. 318/1–318/4.
- Pippenger, N. and Spencer, J. H. (1989). Asymptotic behaviour of the chromatic index for hypergraphs, *J. Combin. Theory, Ser. A* **51**: 24–42.
- Rabin, M. O. (1980). Probabilistic algorithms for testing primality, *J. Number Theory* **12**: 128–138.
- Radhakrishnan, J. and Srinivasan, A. (2000). Improved bounds and algorithms for hypergraph two-coloring, *Random Structures Algorithms* **16**: 4–32.

- Raghavan, P. (1988). Probabilistic construction of deterministic algorithms: approximating packing integer programs, *J. Comput. Sys. Sci.* **37**: 130–143.
- Ramsey, F. P. (1929). On a problem of formal logic, *Proc. London Math. Soc.* **30**(2): 264–286.
- Razborov, A. A. (1985). Lower bounds on the monotone complexity of some boolean functions, *Dokl. Akad. Nauk SSSR* **281**(4): 798–801. (In Russian). English translation in *Sov. Math. Dokl.* **31**: 354–357.
- Razborov, A. A. (1987). Lower bounds on the size of bounded depth networks over a complete basis with logical addition, *Mat. Zametki* **41**(4): 598–607. (In Russian). English translation in *Math. Notes Acad. Sci. USSR* **41**(4): 333–338.
- Rödl, V. (1985). On a packing and covering problem, *Eur. J. Combinatorics* **6**: 69–78.
- Rödl, V. and Duke, R. A. (1985). On graphs with small subgraphs of large chromatic number, *Graphs Combin.* **1**(1): 91–96.
- Ron, D. (2001). Property testing, in: *Handbook of Randomized Computing, Vol. I, II*, Vol. 9 of *Comb. Optim.*, Kluwer Academic, Dordrecht, pp. 597–649.
- Rubinfeld, R. and Sudan, M. (1996). Robust characterizations of polynomials with applications to program testing, *SIAM J. Comput.* **25**(2): 252–271.
- Ruzsa, I. Z. and Szemerédi, E. (1978). Triple systems with no six points carrying three triangles, *Combinatorics (Proc. Fifth Hungarian Colloq., Keszthely, 1976), Vol. II*, Vol. 18 of *Colloq. Math. Soc. János Bolyai*, North-Holland, Amsterdam, pp. 939–945.
- Sauer, N. (1972). On the density of families of sets, *J. Combin. Theory, Ser. A* **13**: 145–147.
- Schrijver, A. (1978). A short proof of Minc's conjecture, *J. Combin. Theory, Ser. A* **25**: 80–83.
- Shamir, E. and Spencer, J. H. (1987). Sharp concentration of the chromatic number in random graphs $G_{n,p}$, *Combinatorica* **7**(1): 121–129.
- Shearer, J. B. (1983). A note on the independence number of triangle-free graphs, *Discrete Math.* **46**: 83–87.
- Shearer, J. B. (1985). On a problem of Spencer, *Combinatorica* **5**: 241–245.
- Shearer, J. B. (1995). On the independence number of sparse graphs, *Random Structures Algorithms* **7**: 269–271.
- Shelah, S. and Spencer, J. H. (1988). Zero-one laws for sparse random graphs, *J. Am. Math. Soc.* **1**: 97–115.
- Shepp, L. A. (1982). The XYZ-conjecture and the FKG-inequality, *Ann. Probab.* **10**: 824–827.
- Slade, G. (2006). *The Lace Expansion and Its Applications*, Vol. 1879 of *Lecture Notes in Mathematics*, Springer-Verlag, Berlin. Lectures from the 34th Summer School on Probability Theory held in Saint-Flour, July 6–24, 2004, edited and with a foreword by Jean Picard.
- Smolensky, R. (1987). Algebraic methods in the theory of lower bounds for boolean circuit complexity, *Proceedings of the 19th Annual ACM Symposium on Theory of Computing (STOC)*, ACM Press, New York, pp. 77–82.
- Spencer, J. H. (1977). Asymptotic lower bounds for Ramsey functions, *Discrete Math.* **20**: 69–76.
- Spencer, J. H. (1985a). Probabilistic methods, *Graphs Combin.* **1**: 357–382.
- Spencer, J. H. (1985b). Six standard deviations suffice, *Trans. Am. Math. Soc.* **289**: 679–706.
- Spencer, J. H. (1987). *Ten Lectures on the Probabilistic Method*, SIAM, Philadelphia.
- Spencer, J. H. (1990a). Counting extensions, *J. Combin. Theory, Ser. A* **55**: 247–255.
- Spencer, J. H. (1990b). Threshold functions for extension statements, *J. Combin. Theory, Ser. A* **53**: 286–305.
- Spencer, J. H. (1995). Asymptotic packing via a branching process, *Random Structures Algorithms* **7**: 167–172.
- Subbotovskaya, B. A. (1961). Realizations of linear functions by formulas using $+$, \cdot , $-$, *Dokl. Akad. Nauk SSSR* **136**(3): 553–555. (In Russian). English translation in *Sov. Math. Dokl.*, **2**: 110–112.
- Suen, W. C. (1990). A correlation inequality and a Poisson limit theorem for nonoverlapping balanced subgraphs of a random graph, *Random Structures Algorithms* **1**: 231–242.
- Székeley, L. (1997). Crossing numbers and hard Erdős problems in discrete geometry, *Combin. Probab. Comput.* **6**: 353–358.
- Szele, T. (1943). Kombinatorikai vizsgálatok az irányított teljes gráffal, *Kapcsolatlan, Mt. Fiz. Lapok* **50**: 223–256. For a German translation see: T. Szele, *Publ. Math. Debrecen* **13**: 145–168, 1966.
- Szemerédi, E. (1978). Regular partitions of graphs, *Problèmes combinatoires et théorie des graphes (Colloq. Internat. CNRS, Univ. Orsay, 1976)*, Vol. 260 of *Colloq. Internat. CNRS, CNRS, Paris*, pp. 399–401.
- Talagrand, M. (1996). Concentration of measures and isoperimetric inequalities in product spaces, *Publications Mathématiques de l'I.H.E.S.* **81**: 73–205.

- Tanner, R. M. (1984). Explicit construction of concentrators from generalized N -gons, *SIAM J. Alg. Discrete Meth.* **5**: 287–293.
- Tarjan, R. E. (1983). *Data Structures and Network Algorithms*, SIAM, Philadelphia.
- Thomason, A. (1987). Pseudo-random graphs, *Ann. Discrete Math.* **33**: 307–331.
- Turán, P. (1934). On a theorem of Hardy and Ramanujan, *J. London Math Soc.* **9**: 274–276.
- Turán, P. (1941). On an extremal problem in graph theory, *Mat. Fiz. Lapok* **48**: 436–452.
- Valtr, P. (1995). On the minimum number of empty polygons in planar point sets, *Stud. Sci. Math. Hung.* **30**: 155–163.
- van der Hofstad, R. and Spencer, J. H. (2006). Counting connected graphs asymptotically, *Eur. J. Combin.* **27**(8): 1294–1320.
- Vapnik, V. N. and Chervonenkis, A. Y. (1971). On the uniform convergence of relative frequencies of events to their probabilities, *Theory Probab. Appl.* **16**: 264–280.
- Wegener, I. (1987). *The Complexity of Boolean Functions*, Wiley-Teubner, Hoboken, NJ.
- Weil, A. (1948). *Sur les courbes algébriques et les variétés qui s'en déduisent*, Actualités Sci. Ind, no. 1041. iv+85pp.
- Wendel, J. G. (1962). A problem in geometric probability, *Math. Scand.* **11**: 109–111.
- Wright, E. M. (1977). The number of connected sparsely edged graphs, *J. Graph Theory* **1**: 317–330.
- Yao, A. C. (1985). Separating the polynomial-time hierarchy by oracles, *Proceedings of the 26th Annual Symposium on Foundations of Computer Science (FOCS)*, IEEE, New York, pp. 1–10.